

# Rescue Task Force Skills Verification Form

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Evaluator: \_\_\_\_\_

Directions: After completing the assigned videos series, you must demonstrate your ability to perform the following hands on skills.

## Medical Assessment

Procedure	Successful	Unsuccessful
Demonstrates head to toe systematic assessment "raking with hands"		
Demonstrates systematic assessment with plate carrier removal		
Can verbize what "BAD CRAP" is		
Rolls patient to the side to assess back		
Placed patient in recovery position		
Appropriately triage the patient with triage tape		

## Wound Packing- Junctional Injuries

Procedure	Successful	Unsuccessful
Apply direct pressure		
Maintain pressure on point of injury		
Pack wound moving in a clockwise direction		
Fill all space, gauze should be mounding		
Holding pressure to maintain downward pressure		
Applying pressure dressing "figure H"		
Practiced procedure and application with 2 people		

## Pressure Dressing- Extremity injuries

Procedure	Successful	Unsuccessful
Apply direct pressure with use of bulging agent		
Apply pressure dressing tightly maintaining downward pressure		

## Wound Packing & Pressure Dressing- Axilla

Procedure	Successful	Unsuccessful
Apply direct pressure		
Maintain pressure on point of injury		
Pack wound moving in a clockwise direction		
Fill all space, gauze should be mounding		
Holding pressure to maintain downward pressure		
Apply pressure dressing (dressing goes under arm, head-under opposite armpit, across chest. Dressing goes around the neck and down towards the wound, repeat. Secure the dressing with the clip pulling it down away from neck)		
Secure arms down		
Practiced procedure and application with 2 people		

## Wound Packing & Pressure Dressing- Neck

Procedure	Successful	Unsuccessful
Apply direct pressure		
Pack wound		
Apply pressure dressing (dressing goes under head, under opposite armpit from wound and repeat- finish going across the chest, under the armpit and bring it around to clip into the dressing pulling away from the airway. Opposite Arm get pulled down against the body, applying more pressure to the wound)		
Secure opposite arm down		
Practiced procedure and application with 2 people		

### Tourniquet- Lower Extremity

<b>Procedure</b>	<b>Successful</b>	<b>Unsuccessful</b>
Apply direct pressure		
Ready TQ (buckle midline, red tap towards pt outside)		
Apply TQ High & Tight (use space under knee "scissoring" TQ up into place)		
Use your body to hold the patient's body in place.		
Pull the strap tight and tighten the windlass until bleeding is controlled.		
Practiced procedure and application with 2 people		

### Tourniquet- Lower Extremity Self Application

<b>Procedure</b>	<b>Successful</b>	<b>Unsuccessful</b>
Apply direct pressure		
Apply TQ High & Tight (use space under knee "scissoring" TQ up into place)		
Pull the strap tight and tighten the windlass until bleeding is controlled.		

### Tourniquet- Upper Extremity

<b>Procedure</b>	<b>Successful</b>	<b>Unsuccessful</b>
Apply direct pressure		
Ready TQ (buckle midline, red tap towards pt outside)		
Apply TQ High & Tight		
Use your body to hold the patient's body in place.		
Pull the strap tight and tighten the windlass until bleeding is controlled.		
Practiced procedure and application with 2 people		

### Tourniquet- Upper Extremity Self Application

<b>Procedure</b>	<b>Successful</b>	<b>Unsuccessful</b>
Apply TQ by looping around extremity and pulling up (both arms)		
Apply TQ High and Tight pull strap towards you		
Tighten the windlass until bleeding is controlled		